


3C3 India Private Limited

PART CODE REFERENCE GUIDE





About us

A Make-In-India, Quality-Driven Organization Producing High Quality Products in Passive Networking Solutions in both Copper and Fiber

We are one of India's leading Structured Cabling Manufacturers for Passive Networking Solution. Since our launch in 2013 under the "Make in India" initiative, we are dedicated to creating innovative and sustainable connectivity solution for clients around the globe. We are a technology-driven company which is ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 certified, adhering to all ANSI/TIA and ISO/IEC Structured Cabling & Components Standards.

Our range of offering includes Enterprise Solution, Data Center, Industrial Ethernet Solutions, Physical Infrastructure Management (PIM)™, Racks/Subracks, FTTX Solution, Optipower Connectivity Solution. We also provide structured cabling solution in IT, Telecom, IoT & Security Infrastructure for addressing end-to-end requirements adhering to global standards.

Through our in-depth domain knowledge and about a decade of experience, we ensure that we tailor innovative solutions which enable convenience for our clients. We research, design and develop high-quality products with a dedicated team of technical experts and engineers. Our innovative products of passive cable connection in copper technology and fiber optic technology is something our clients trust us with. The 3C3 Production unit is in itself a state of the art facility KIADB Industrial Area, Doddaballapura, Bengaluru, and home to our end-to-end production cycle.

With the motto of 'Performance & Excellence', we consistently strive to maintain our hard-earned reputation in the local and global marketplace. We stand Strong on the pillars of customer experience and quality.






TABLE OF CONTENTS

Enterprise Solutions	01
Copper Solutions	
Fiber Solutions	
Data Center Solutions	06
Zetacore [™]	
Ultracore [™]	
Gigacore [™]	
Pathway Solutions	09
Physical Infrastructure Management (PIM) Solutions [™]	10
Industrial Ethernet Solutions	11
Optipower Connectivity Solutions	13
Unique Solutions	13
Racks / Subracks	14
FTTX Solutions	15


COPPER SOLUTIONS

COPPER CABLES



Cat6A

- 10300** High Speed 10G Ethernet U/UTP, 23 AWG, 500MHz, Class EA, LSZH Cable -C6A
- 10310** High Speed 10G Ethernet S/FTP, 23 AWG, 500MHz, Class EA, LSZH Cable -C6A
- 10330** High Speed 10G Ethernet F/UTP, 23 AWG, 500 MHz, Class EA LSZH Cable- C6A



Cat6

- 10200** High Speed Gigabit Ethernet U/UTP, 23 AWG, 250 MHz, Class E, LSZH Cable - C6
- 10202** High Speed Gigabit Ethernet U/UTP, 23 AWG, 250 MHz, Class E, FRPVC Cable - C6
- 10002** High Speed Gigabit Ethernet U/UTP, 24 AWG, 250 MHz, Class E, FRPVC Cable - C6



Cat6

High Speed Gigabit Outdoor Rated Cables, C6

- 10200-0006** High Speed Gigabit Ethernet U/UTP 250 MHz, Class E, Inner LSZH, Outer FRPVC, Outdoor Cable, C6
- 10200-0026** High Speed Gigabit Ethernet U/UTP 250 MHz, Class E, ECCS Tape Armored Inner LS2H, Outer PE, Outdoor Cable, C6
- 10200-0016** High Speed Gigabit Ethernet U/UTP 250 MHz, Class E, GI Wire Armored, Inner LS2H, Outer FRPVC, Outdoor Cable, C6

RJ45 OUTLETS



Cat6A

- 12319** Toolless Keystone Shielded Outlet, 180° C6A
- 12364** Toolless Keystone Unshielded Outlet 180° C6A, White
- 12366** Toolless Keystone Unshielded Outlet 180° C6A, Black



Cat6

Keystone Unshielded Outlet, 180° C6

12200	Blue	12204	White
12203	Yellow	12206	Black

FACE PLATE



- 14041** Face Plate Shuttered UK Style, Single
- 14042** Face Plate Shuttered UK Style, Dual
- 14044** Face Plate Shuttered UK Style, Quad
- 14440** Back Box for UK Style Face Plate

COPPER PANELS



- 11800** Copper Panel, Unshielded, 24 Port Unloaded, 1U, Wire Manager Included
- 11840** Copper Panel Angled, Staggered Unshielded, 24 Port Unloaded 1U Wire Manager Included
- 11810** Copper Panel Shielded C6A, 24 Port Unloaded 1U wire 1U Wire Manager Included
- 11820** Copper Panel Staggered, Shielded 24 Port Unloaded, 1U, Wire Manager Included

COPPER PATCH CORD



Cat6A

High Speed 10 Gigabit 26AWG S/FTP Patch Cord Grey, LSZH, C6A

23350-0100	1M	23350-0300	3M	23350-0700	7M
23350-0200	2M	23350-0500	5M	23350-1000	10M



High Speed 10 Gigabit 24AWG U/UTP Patch Cord Grey, LSZH, C6A

20350-0100	1M	20350-0300	3M	20350-0700	7M
20350-0200	2M	20350-0500	5M	20350-1000	10M



Cat6

High Speed Gigabit 24AWG U/UTP Patch Cord, LSZH, C6

	Blue	Green	Yellow	Grey	Red
1M	20200-0100	20210-0100	20230-0100	20250-0100	20220-0100
2M	20200-0200	20210-0200	20230-0200	20250-0200	20220-0200
3M	20200-0300	20210-0300	20230-0300	20250-0300	20220-0300
5M	20200-0500	20210-0500	20230-0500	20250-0500	20220-0500

Lockable Patch Cord

High Speed Gigabit 24AWG U/UTP Lockable Patch Cord LSZH, C6



	Blue	Green	Red	Yellow	Grey
1M	27200-0100	27210-0100	27220-0100	27230-0100	27250-0100
2M	27200-0200	27210-0200	27220-0200	27230-0200	27250-0200
3M	27200-0300	27210-0300	27220-0300	27230-0300	27250-0300
5M	27200-0500	27210-0500	27220-0500	27230-0500	27250-0500

FIBER SOLUTIONS

FIBER CABLE

3C3



3C3



Singlemode and Multimode

High Link Fiber Optic, Tight Buffered Indoor Cable, FR-LSZH

	OS2	OM3	OM4
06 cores	51005-0006	51305-0006	51405-0006
12 cores	51005-0012	51305-0012	51405-0012
24 cores	51005-0024	51305-0024	51405-0024

High Link Fiber Optic, Armoured, Uni-loose Tube Outdoor Cable, Gel filled, Peripheral Steel rod Strength Member, Single Sheath Black HDPE

	OS2	OM3	OM4
06 cores	53011-0006	53311-0006	53411-0006
12 cores	53011-0012	53311-0012	53411-0012

High Link Fiber Optic, Armoured, Multi-loose Tube Outdoor Cable, Gel filled, CSM FRP, Single Sheath Black HDPE

	OS2	OM3	OM4
24 cores	53031-0024	53331-0024	53431-0024
48 cores	53031-0048	53331-0048	53431-0048

FIBER PANEL

Rack Mountable Fiber Panel, Loaded

Fiber Panel Sliding, Single Adapter Plate, Loaded with Duplex Adapters, Pigtails, Splice Tray, 1U



LC		OS2	OM3	OM4
	6F	61020-1006	61320-1006	61420-1006
SC	12F	61020-1012	61320-1012	61420-1012
	24F	61020-1024	61320-1024	61420-1024
SC	6F	61040-1006	61340-1006	61440-1006
	12F	61040-1012	61340-1012	61440-1012
SC	24F	61040-1024	61340-1024	61440-1024

FIBER PANEL



Wall Mountable Fiber Panel

61905-0000 Fiber Panel Wall Mount, Single door, Unloaded, 24F

61906-0004 Fiber Panel Wall Mount, Double door, Unloaded, 96F

Adapter Plate Loaded Duplex, Wall Mount

	OS2	OM4
3LC Duplex	63027-0003	63427-0003
3SC Duplex	63047-0003	63447-0003
6LC Duplex	63027-0006	63427-0006
6SC Duplex	63047-0006	63447-0006

64321 Splice Tray, 24F

DIN Rail Mountable Fiber Panel

61027-1006 DIN Rail Patch Panel, Loaded with 3LCU DuplexAdapters, 6LCU Pigtails, OS2

61027-1012 DIN Rail Patch Panel, Loaded with 6LCU DuplexAdapters, 12LCU Pigtails, OS2

FIBER OPTIC PIGTAIL



Fiber Optic Pigtail

High Link Fiber Optic Pigtail, 1.5M

	OS2	OM3	OM4
LC	71001-0015	71301-0015	71401-0015
SC	73001-0015	73301-0015	73401-0015

FIBER PATCH CORD

Singlemode

High Link Fiber Optic Patch Cord, Duplex, 2mm, OS2



	LCU to LCU	LCU to SCU	SCU to SCU
3M	72020-0030	72040-0030	74040-0030
5M	72020-0050	72040-0050	74040-0050
10M	72020-0100	72040-0100	74040-0100

Multimode

High Link Fiber Optic Patch Cord, Duplex, 2mm



OM3				OM4		
	LCU to LCU	LCU to SCU	SCU to SCU	LCU to LCU	LCU to SCU	SCU to SCU
3M	72320-0030	72340-0030	74340-0030	72420-0030	72440-0030	74440-0030
5M	72320-0050	72340-0050	74340-0050	72420-0050	72440-0050	74440-0050
10M	72320-0100	72340-0100	74340-0100	72420-0100	72440-0100	74440-0100

Armoured Fiber Optic Patch Cord

High Link Fiber Optic Patch Cord, Armoured, Duplex, 3mm



OS2				OM4		
	LCU to LCU	LCU to SCU	SCU to SCU	LCU to LCU	LCU to SCU	SCU to SCU
3M	72023-0030	72043-0030	74043-0030	72423-0030	72443-0030	74443-0030
5M	72023-0050	72043-0050	74043-0050	72423-0050	72443-0050	74443-0050
10M	72023-0100	72043-0100	74043-0100	72423-0100	72443-0100	74443-0100

Rugged Fiber Optic Patch Cord

High Link Fiber Optic Patch Cord, Ruggedized, Duplex, 7mm



OS2				OM4		
	LCU to LCU	LCU to SCU	SCU to SCU	LCU to LCU	LCU to SCU	SCU to SCU
3M	72029-0030	72049-0030	74049-0030	72429-0030	72449-0030	74449-0030
5M	72029-0050	72049-0050	74049-0050	72429-0050	72449-0050	74449-0050
10M	72029-0100	72049-0100	74049-0100	72429-0100	72449-0100	74449-0100

ZETACORE™



Pre-Terminated Fiber Optic Cable

Pre Terminated Fiber Optic Breakout Cable, LCU to LCU, Duplex, 20M

	06 Fiber	12 Fiber	24 Fiber
OS2	72025-0200	72027-0200	72028-0200
OM4	72425-0200	72427-0200	72428-0200



Zetacore™

- 66011 - 1000** Zeta Core™ Fiber Patch Panel 144F 1U Unloaded
- 66106 - 0620** MPO- MPO Coupler Cassette, 1No 6F MPO to 6F MPO,OM4
- 66100-0520** Cassette, MPO-LC Module, 1No 12F MPO to 3LC Quad,OM4
- 66103 - 0520** Splicing Module-LC, Colored Pigtails, 12F LC Splice Cassette to 3 x LC Quad,OM4



ULTRACORE™



High Density Fiber Panel Unloaded

- 66043-1000** Ultracore™ Fiber Panel 120F 1U Unloaded
- 66043-2000** Ultracore™ Fiber Panel 288F 1U Unloaded

Fiber Optic Patch Cord

- 72030** High Density High Link LCU to LCU Fiber Optic Patch Cord, Duplex, OS2
- 72C30** High Density High Link LCU to LCU Fiber Optic Patch Cord, Duplex, MM
- 67C12** MPOF to MPOF Patch Cord, XF, Type B,MM
- 72C34** High Density High Link LCU to LCU Fiber Optic Traceable Patch Cord, Duplex, OM4
- 67221** MPO to LCU Duplex Breakout Patch Cord,12F,OM410M
- 88C22** High Density High Link LCU to LCU, Uniboot, Fiber Optic Patch Cord, Duplex, MM



Preterminated Breakout cable

- 67C8E** MPOF to MPOF Fanout Patch Cord, 24F(2x12F), Type B, MM
- 72C2E** Pre-Terminated Fiber Optic Breakout Cable,12 Fiber, LCU to LCU, Duplex, MM
- 7202E** Pre-Terminated Fiber Optic Breakout Cable,12 Fiber, LCU to LCU, Duplex, OS2



GIGACORE™



Gigacore™

- 61902-1000** Fiber Panel, 1U, 4Cutout, Unloaded
- 66100-0020** Cassette, 1x 12F MPO to 6 LC Duplex Module, OM4 for 4-Cutout Panel
- 63890-0006** 6 X MPO Fiber Adapter Plate Loaded for 4 Cutout Panel
- 63474-0006** 6 x LC Quad Adapter Plate for 4 Cutout Panel, OM4



MPO Patch Cords

MPO to MPO, Type B



	OM4		OS2	
	12F	8F	12F	8F
3M	67212-0030	67215-0030	67012-0030	67015-0030
5M	67212-0050	67215-0050	67012-0050	67015-0050
10M	67212-0100	67215-0100	67012-0100	67015-0100

MPO to 6LC, Type B



	OM4		OS2	
	12F	8F	12F	8F
3M	67221-0030	67220-0030	67021-0030	67020-0030
5M	67221-0050	67220-0050	67021-0050	67020-0050
10M	67221-1000	67220-1000	67021-1000	67020-1000

High Density Fiber Patch Cord

High Density High Link LCU to LCU Fiber Optic Patch Cord, Duplex



	OM4	OS2
3M	72430-0030	72030-0030
5M	72430-0050	72030-0050
10M	72430-0100	72030-0100

High Density Traceable Patch Cord

High Density High Link LCU to LCU Fiber Optic Traceable Patch Cord, Duplex



	OM4	OS2
3M	72434-0030	72034-0030
5M	72434-0050	72034-0050
10M	72434-0100	72034-0100



Copper Pre terminated Cable

Pre Terminated Copper Trunk Cable, 20 inch Breakout, Grey, LSZH, C6A, 10M

	Shielded		Unshielded	
	Female to Female	Male to Male	Female to Female	Male to Male
6 Runs	17451-1000	17455-1000	17450-1000	17454-1000
12 Runs	17351-1000	17355-1000	17350-1000	17354-1000



High Density Jack Panel

High Density Copper Panel Straight, 24 Modular Port Unloaded, 0.5U wire manager included

Shielded	Unshielded
16810-0000	16800-0000



Copper Traceable Patch Cord

High Speed 10 Gigabit 26AWG U/FTP Traceable Patch Cord Grey, LSZH, C6A

17651-0100	1M	17651-0300	3M	17651-0700	7M
17651-0200	2M	17651-0500	5M	17651-1000	10M


Copper Slimline Patch Cords

High Speed Gigabit 28AWG UTP Slim Patch Cord, Grey, LSZH

	1M	2M	3M	5M
Cat 6A	17650-0100	17650-0200	17650-0300	17650-0500
Cat 6	17550-0100	17550-0200	17550-0300	17550-0500



3rd Party Performance Test for 4 Connector Channel as per ANSI/TIA-568.2-D



Component Id	Manufacturer	Description	Part number
1, 10	3C3	S/FTP LSZH Patch Cord	23350-0200
2	3C3	Faceplate / Shielded Outlet	14041 / 12319
3	3C3	S/FTP LSZH Single-Ended Patch Cord	85601-0300
4	3C3	Shielded Field Terminable Plug	12919
5, 7	3C3	Patch Panel / Shielded Outlet	11810 / 12319
6	3C3	S/FTP LSZH Horizontal Cable	10310
8	3C3	S/FTP LSZH Single-Ended Patch Cord	85600-0300
9	3C3	Patch Panel / Shielded Outlet	11820 / 12319



Overhead Optical Pathway System

Overhead Optical Pathway System (OOPS) which is designed to protect and route fiber optic patch cords, cable assemblies to and from network cabinets, ODF and other application server.

Tool-less products boast easy and quick installation including snap-on cover, hinged cover option as well as quick exits and easy maintenance.

Overhead Optical Pathway Solutions (OOPS)

45C00-0000	Straight section with Cover
45C40-0001	End Cap
45C1E-0000	Elbow E- Type (0-90° Horizontal, 1-45° down, 2-45° Up, 3-90° Down, 4- 45° Horizontal)
45C5E	Connector Kit (E- 0- Kit S, 1- Kit C)
45C60-0000	Storage Tray with Cover
45C70-0000	Reducer with Cover
45C9E	Support Bracket E- Type (0- Anchor Bracket, 1- Wall, 2- Rack, 3- Trapeze Bracket)
45C15-000X	Express dropout, (X-0 with Trumpet Flare, 0-1 with 1 hole, 0-2 with 2 hole, 0-3 with 3 hole)
45C16	Flexible Pipe
C= Size	(0-2"x2", 1 - 4"x4", 2 - 4"x6", 3- 4"x10", 4 - 4"x 12")

Physical Infrastructure Management Solutions



46901-1000

PIM™ - Network Controller, 1U



46190-1000

PIM™ Fiber Patch Panel, Unloaded, 24Port, 1U



461D4

High Link PIM™ Fiber Optic Patch Cord



46080-1000

PIM™ Patch Panel, Unloaded, 24Port, 1U



46023

PIM™ High Speed 10 Gigabit U/UTP Patch Cord Grey, LSZH, C6A



Keystone Outlet

- 40610** Industrial Grade Keystone Jack, IP67 Cat6
- 40612** Industrial Grade Keystone Jack, IP68 Cat6
- 40613** Industrial Grade Keystone Jack, IP68 Cat6A




Patch Cord

- 40620-0020** Industrial Grade Patch Cord, IP67 Cat6
- 40621** Industrial Grade Patch cord, IP68 Cat6
- 88068-0010** LC-LC Duplex Industrial grade Patch Cord, IP68
- 88069-0010** SC-SC Simplex Industrial grade Patch Cord, IP68



DIN rail

- 61027-0006** DIN Rail Patch Panel, Loaded
- 87006/87707** DIN Rail Module for Unshielded/Unshielded Keystone Jack
- 87909** DIN Rail Bracket for Unshielded/Unshielded Keystone Jack
- 87180** DIN Rail Patch Panel, Copper, 8 Port



Cable

- 10310** High Speed 10G Ethernet S/FTP 500MHz Class EA, LSZH Cable, C6A
- 10201-0016** High Speed Gigabit Ethernet UTP 250 MHz Class E GI Armored, Inner FRPVC, Outer FRPVC, Outdoor Cable, C6
- 10201-0026** High Speed Gigabit Ethernet U/UTP 250MHz Class E, ECCS Tape Armored, Inner FRPVC, Outer PE, Outdoor Cable, C6
- 86901-100-0110** Profinet 22AWG Solid Double Sheath, Inner PVC, Outer PUR Cable, Type A, Cat5e
- 86901-110-0110** Profinet, Double Sheath, Inner PVC, Outer PUR Cable, Type B



Rack

- 87709-0009** Outdoor Wall/Pole Mount rack
- 87708** Outdoor Floor Mount AC Rack
- 43130-0009** Wall Mount Rack

Face plate

- 87220-87221** Steel face plate
- 40650** IP68 Industrial Surface Mounting Box
- 40641/40642/40644** IP44 Stainless Faceplate 1,2 and 4 Port


FIELD TERMINATION PLUG



Field Termination Plug

12806	Field Termination Plug Unshielded, C6
12919	Field Termination Plug shielded, C6A
87907	Field Termination Plug Angled shielded, C6A
40630-0100	Profinet Field termination Plug

OVERHEAD MESH SYSTEMS



Overhead Mesh System

The OverHead Mesh System (OHMS) is designed to route and manage copper data cables and power cables within data centers, connected buildings and industrial automation applications.

OverHead Mesh System tray, utilizes high quality mechanical strength wires welded in a grid pattern, producing a strong, versatile and economical cable support system. These prefabricated fittings are a time-saving and cost effective alternative to field-fabricated horizontal fittings.

OverHead Mesh Solutions (OHMS)

44CD0	Straight Section
44CD1	Elbow
44CD2	Horizontal T
44CD3	Joiner Kit, pack of 50
44CD4	Connector Kit, pack of 50
44CD5-0000	Support Bracket XX –Support Bracket (01- Wall, 02- Floor, 05- Trapeze)
44CD5-04YY	Dropout YY – Type (00- Inside Dropout, 01- Side/End Cable drop out)
44CD9-XXXX	XXXX = Support Accessories 0000 – Grounding Bolt 0001 – End Cap 0002 – Finishing paint

C = Depth in inches (0 – 2", 1 – 4", 2 – 6")

D = Width in inches (0 – 6", 1 – 12", 2 – 18", 3 – 24")

40510	Manual Cutter for OHMS
40511	Manual Cutter Replacement Blade
40590	1M thread rod with Cover

Optipower Connectivity Solutions



MINING/ SURVEILLANCE/ IOT & WIFY/ CAMPUS TRACKING/ AGRO TRACKING



89900-000-0406

Hybrid Cable, Unarmoured Uni-loose Tube, CSM FRP, OS2, 6F & 2 Pair 2.5mm², Single Sheath Black, FRPVC



87564

Hybrid Base Unit



87565

Hybrid Outdoor Enclosure

Unique Solutions



CABLE BUNCHING SOLUTIONS



41050

Cable Bunching Tool

40401

Velcro Blue, 19mm

40461

Velcro Black, 19mm

UNIQUE PRODUCTS & SOLUTIONS



12254

Lockable Key Stone Unshielded Outlet, 90DG, C6 white

15190

Key For Lockable Outlet

13339

Inline Coupler, IDC Termination Shielded C6A

13224

Inline Coupler, IDC Termination Unshielded C6

13319

Inline Coupler Shielded C6A

13206

Inline Coupler Unshielded C6

15020

Port Block, RJ45 Plug

15290

Key for Port Block, RJ45 Plug

15650

1:2 Port Splitter, C6

Rack/ Subracks



430DE-XXXX

Floor Mount Rack

431DE-XXXX

Wall Mount Rack



432DE-XXXX

2 post Open Network Rack

87708

Outdoor Floor Mount AC Rack





FTTH Drop cable

FTTH Indoor Drop Cable, Black LSZH,

	1F	2F
Indoor Cable	80000-0001	80000-0002
Outdoor Cable	80100-0001	80100-0002



Fiber Patch Panel - Non Telescopic

Fiber Panel, Non Telescopic, Loaded with SC Simplex Adapters, SC Pigtails, Splice Tray, OS2, 1U

	SCU	SCA
6F	83114-1100	83124-1100
12F	83115-1100	83125-1100
24F	83116-1100	83126-1100

PLC Splitter

PLC Splitter Rack Mount

	SCU	SCA
1:16	81403	81503
1:32	81404	81504
2:16	81413	81513
2:32	81414	81514

PLC Splitter Wall Mount


	SCU	SCA
1:2	81600-0000	81700-0000
1:4	81601-0000	81701-0000
1:8	81602-0000	81702-0000
2:2	81610-0000	81710-0000
2:4	81611-0000	81711-0000
2:8	81612-0000	81712-0000

PLC Splitter ABS

	SCU	SCA
1:16	80203-0000	81303-0000
1:32	80204-0000	81304-0000

PLC Splitter Blockless

	SCU	SCA
1:2	81800	81900
1:4	81801	81901
1:6	81802	81902





Fiber Distribution Box

Fiber Distribution Box Loaded With Adapter and Pigtail

	SCU	SCA
2F	83012-1000	83022-1000
4F	83013-1000	83023-1000
12F	83015-1000	83025-1000
24F	83016-1000	83026-1000



FTTH Customer Outlet

FTTH Customer Outlet, Loaded with Adapter and Pigtail

	SCU	SCA
1F	83211-1000	83221-1000
2F	83212-1000	83222-1000
4F	83213-1000	83223-1000



Fast Field Assembly Connector

Fast Field Assembly Connector Single Mode

SCU	SCA
91210-0000	91200-0000



Simplex Patch Cord

Fiber Optic Patch Cord, 2mm Simplex, OS2

	SCU to SCU	SCA-SCA	SCU-SCA
2M	82223-0020	82003-0020	82023-0020
3M	82223-0030	82003-0030	82023-0030
5M	82223-0050	82003-0050	82023-0050



Pigtail


Fiber Optic Pigtails OS2, 1.5M

SCU	SCA
82291-0015	82091-0015

JOINT ENCLOSURE



- 64011** Joint Enclosure, Outdoor, Cylindrical, 12 Fiber
- 64012** Joint Enclosure, Outdoor, Cylindrical, 24 Fiber
- 64013** Joint Enclosure, Outdoor, Cylindrical, 48 Fiber
- 64251** Joint Enclosure, Outdoor, IP68, Cylindrical, 12 Fiber



Manufacturing Plant:
3C3 India Private Limited

Plot No.222, Sy No-25/1 & 26, Kolipura Village, Kasaba Hobli, Phase II KIADB Industrial Area, Obadenahalli Industrial Area, Doddaballapur, Bengaluru Rural, Karnataka, 561203

Web: www.3c3.in

Toll Free Number: **1800 202 0198**

CORPORATE OFFICE

No.889, Sri Vishnu Arcade, 2nd Stage,
Dr. M.C. Modi Hospital Road,
Basaveshwaranagar, Bengaluru 560 079
PH: **080 4125 4077**

DELHI OFFICE

Unit No.301, 3rd floor Manisha building
Plot no 75-76 Nehru Place
New Delhi 110019
PH: **011 4765 7210**

KOLKATA OFFICE

Kankaria Estate, 9th Floor, 6 Little Russell Street,
Kolkata - 700071, West Bengal
Toll Free Number: **18002020198**

CHENNAI OFFICE

AWFIS, RR Towers IV, 7th Floor, Cabin no. - 7, Thiru Vi
Ka Industrial Estate, SIDCO Industrial Estate, Guindy,
Chennai, Tamil Nadu - 600032, India